HO-122 Stephen B. Dorsey Farm Tenant House 15282 Roxbury Road Private

Description:

The Stephen B. Dorsey Farm Tenant House faces east toward the road on a wooded site that slopes down to the north, and the house is banked into the hill on the west and south sides, with an exposed basement on the east and north elevations. The house is a one-story, three-bay by two-bay rubble stone structure with quoining and traces of white paint on the stone. It has a gable roof with asphalt shingles and a north-south ridge. There is a boxed cornice and an interior brick chimney on the north gable end. On the west elevation is a modern brick addition that is to be demolished for a new addition. The first story is one room with a straight run of stairs along the west wall that ascends to the south. There is a fireplace centered on the north elevation. There is a log outbuilding located about 12 feet north of the house, and it is banked slightly because the ground slopes down to the north. It is a one-story, one-bay square structure with V-notch corners, and has a gable roof with wood shingles and a north-south ridge.

Significance:

The Stephen B. Dorsey Farm Tenant House is located on a corner of what was, in the midnineteenth century, part of Stephen B. Dorsey, Sr.'s, farm (HO-11). Dorsey married Sally Elizabeth Owings in 1842, and shortly after his marriage he began acquiring various tracts of land in the area, eventually assembling a large estate. The history of all these land transactions has not been fleshed out, so it is not known when he acquired the tract with this tenant house, but it was part of the 800 acres of land that was subdivided by his heirs after his death in 1872. Lot 1 of the subdivision was located on the west side of Roxbury Road and included this tenant house, and it was awarded to Stephen B. Dorsey, Jr. It seems more likely that this was a tenant house for part of one of Dorsey's farms. While it is difficult to be certain, it seems most likely that the house was built in c. 1830-60. Dorsey, Jr., split off the tenant house with five acres in 1932 and sold it to Walter Tobringer, who sold the property in 1958 to Russell and Janeva Maisel. It was reportedly the Maisels who were responsible for the additions on the south side and west, or rear. In the process, significant changes were made to the interior. In 2009 the additions were removed from the house and a new addition constructed on the rear.

Maryland Historical Trust Maryland Inventory of Historic Properties Form

227								_		
historic	Stephen B. Dor	sey Farm Tenant Ho	use							
other	Russell Maisel	s Stone House								_
2. Location										
street and number	15282 Roxbury	Road						not	for publ	ication
city, town	Glenelg							X vic	inity	
county	Howard									
3. Owner of	Property	(give names and	l mailing a	address	es of all	owners)				
name ·	Craig & Roberta	a Garrison-Mogren								
street and number	15282 Roxbury	Road					telephone	410-	489-085	1
city, town	Glenelg		10 10 10	state	MD		zip code	2173	7	
4. Location	of Legal D	escription								
		Howard County Coun	rthouse			liber	9992 folio 5	550		
city, town	Ellicott City	tay m	04	tov	parcel	27	tav	ID numb	er	
5. Primary L	ocation o	f Additional	District	tax	parcer		lax	ID Halli		
5. Primary L Contr Contr Deter Deter Recor	cocation of the color of the co	f Additional n National Register D n Local Historic Distri the National Register or the National Register	Data District ict //Maryland er/Maryla	d Regist	ter		Ida			
Contraction Contra	cocation of the control of the contr	f Additional In National Register D In Local Historic Districte The National Register In the National Register The Register	Data District ict //Maryland er/Maryla	d Regist	ter		IGA			

-	-		
1	Desc	rin	tion

Inventory No. HO-122

Condition

	excellent	deteriorated
X	good	ruins
	fair	altered

Prepare both a one paragraph summary and a comprehensive description of the resource and its various elements as it exists today.

Summary:

The Stephen B. Dorsey Farm Tenant House faces east toward the road on a wooded site that slopes down to the north, and the house is banked into the hill on the west and south sides, with an exposed basement on the east and north elevations. The house is a one-story, three-bay by two-bay rubble stone structure with quoining and traces of white paint on the stone. It has a gable roof with asphalt shingles and a north-south ridge. There is a boxed cornice and an interior brick chimney on the north gable end. On the west elevation is a modern brick addition that is to be demolished for a new addition. The first story is one room with a straight run of stairs along the west wall that ascends to the south. There is a fireplace centered on the north elevation. There is a log outbuilding located about 12 feet north of the house, and it is banked slightly because the ground slopes down to the north. It is a one-story, one-bay square structure with V-notch corners, and has a gable roof with wood shingles and a north-south ridge.

Description:

The Stephen B. Dorsey Farm Tenant House is located at 15282 Roxbury Road, on the west side of the road and just south of the intersection with Dorsey Mill Road, in south-western Howard County, Maryland. The property includes a stone house and a log outbuilding. A stream runs along the north side of the parcel, with several springs to the east of the house. There is a stone fence along the road to the east, and another one to the west of the house and addition, that runs towards the west.

House, exterior

The house faces east toward the road on a wooded site that slopes down to the north, and the house is banked into the hill on the west and south sides, with an exposed basement on the east and north elevations. The house is a one-story, three-bay by two-bay rubble stone structure with quoining and traces of white paint on the stone. It has a gable roof with asphalt shingles and a north-south ridge. There is a boxed cornice and an interior brick chimney on the north gable end.

The east elevation has a center doorway with a Dutch door made of V-groove vertical boards on the bottom and a six-light sash on the top, in the basement. The door frame has ovolos on the inner edge. The doorway has a stone sill and stone lintel. There is a six-over-six sash to each side, in plain mitered frames, with a wood sill and a stone lintel. There are new board shutters on 19th-century cast iron hinges that have a locking mechanism. The first story has three typical six-over-six sash. The center bay has several squared stones below the sill, in line with the jambs, indicating that this opening was originally a doorway. The stone has all been re-pointed. There is no clear evidence of a porch here. Near the southeast corner is a stone with a notch in it that could have been a pocket. It is set just above the basement window lintel and is in line with a stone that has a notch in it and is set between the south and center bays, but there is nothing to the north of this that would indicate another pocket for a porch joist.

Maryland Historical Trust Maryland Inventory of Historic Properties Form

Name Continuation Sheet

Number 7 Page 1

On the north elevation, the basement has two six-light casements that appear to have been cut through at a later date. The jambs have stones set on their side and there are no sills or lintels. The frames have an ovolo on the inner edge and have cast iron hinges for shutters. There are no openings on the first story. In the gable end the east bay has a one-light sash that replaces a casement, and the west bay has a four-light casement with a wood sill and a stone lintel. On the west elevation the basement is set into the hill, and there is a modern brick addition on the center and south bays of the first story that is to be demolished for a new addition. The north bay has a typical six-over-six sash. The south elevation has a CMU add ition to the west and a 20th-century brick and stone addition in the center. The gable end of the main block has a typical six-over-six sash with a stone lintel.

House, interior

The basement has painted stone walls and a quarry tile floor. There are hewn joists that are very nicked up and they are hung on hangers with wire nails; according to the owners the Maisels replaced this entire floor above. There is a fireplace centered on the north wall that has a new raised brick hearth, splayed stone jambs, and a plain crane set in the west jamb. The casements that flank the fireplace have new sash. On the east elevation, the wood sash date from the 20th century, but the wood frames may be original. The windows have splayed jambs and the lintels have steel angle iron. The door in the center is hung on butt hinges with ball finials. The stairway to the first story is modern and is completely rebuilt, except for the newel post. It is turned and is square at the bottom and near the top where the railing meets, with a ball on top that has three reeds. This newel post is consistent with the circa 1890 to 1915 period. There is no opening on either the west or north elevations.

The first story is one room with a straight run of stairs along the west wall that ascends to the south. The floor is all new oak, and the walls are exposed stone that is painted. There is a fireplace centered on the north elevation, with a new raised brick hearth and splayed stone jambs. There is a stone lintel with iron beneath it and a small crane has been added to the fireplace. There is no clear evidence of nailing blocks in the wall. The windows have splayed jambs and hewn wood lintels. The wood sash date to the 20th century though the wood frames may be original. There are three windows on the east and one on the west, set to the north. There is a doorway on the west elevation, in the center, that has a hewn wood lintel. The door here is missing. The south elevation has a doorway that was probably cut through, with a narrow wood lintel of only 1-1/2 inches depth, and this lintel is a planed board. The opening has a 20thcentury vertical-board door. The stairway has a plain closed stringer and a moulded handrail that dates to the 20th century. There is a square newel post with a ball that has been added to the top of it, and the ball has three reeds. The balusters alternate between square painted balusters and turned oak balusters. The bottom tread is oak and has been replaced, while the rest are pine and appear to be original. The west wall at the stairway is still parged. The stair has a winder at the top of it. It appears that this was an enclosed stairway that was opened up circa 1890 to 1915; the current plan for the renovation of this building is to remove this stairway. There is no evidence of a window in the south bay of the west wall.

Maryland Historical Trust Maryland Inventory of Historic Properties Form

Name Continuation Sheet

Number 7 Page 2

The west side of this wall, which is now covered by the addition, has had all of the stone re-pointed. There was never a window opening in the north bay. The doorway has a stone lintel, and the doorframe has an ovolo on the inner edge. It also has a stone sill.

The attic has one sash-sawn joist, but the rest are hewn. The stair trimmer is sash sawn and has nail holes suggesting that it was covered either by a fascia board or by a bead-board wall originally. The trimmer is mortised for center tenons on the ends of the joists. The rafters are sash sawn, are 2-½ to 2-¾ inches wide by 4-¼ to 4-½ inches deep, and are spaced 23 to 24-½ inches on centers. The rafters have board sheathing and the feet have a birds-mouth cut that butts a 1-inch board false plate. The feet are generally set over top of the joists, and are fastened with cut nails. The rafter ridge joint is pegged, but the exact nature of the joint cannot be determined. The attic is mostly finished. There is wide random-width tongue-and-groove flooring that is face-nailed with cut nails. The casement windows on the north elevation are not mortised and tenoned and pinned, and appear to date from either the late 19th century or the early 20th century.

Outbuilding

There is a log outbuilding located about 12 feet north of the house, and it is banked slightly because the ground slopes down to the north. It is a one-story, one-bay square structure with V-notch corners, and has a gable roof with wood shingles and a north-south ridge. The gable ends have new board-and-batten siding. There is an addition on the west side made of hewn logs with square corner joints that are toe-nailed with wire nails. This addition has a shed roof and has a vertical board door on the south. The original structure has a vertical board door with new hardware on the south elevation, and there are no other openings. The roof is constructed with new dimensional lumber and there are no significant interior details. The south doorway has an earlier jamb board on the west side, and it is one log shorter than the present doorway. There is a pintel hole in one log on the west side and a staple in a log on the east side, indicating the door originally opened inward.

There is a circa 1950s one-story small house to the northwest of the stone house.

8. Signific	ance			Inventory No. HO-122
Period	Areas of Significance	Check and j	ustify below	
1600-1699 1700-1799 X 1800-1899 1900-1999 2000-	agriculture archeology X architecture art commerce communications community planning conservation	economics education engineering entertainment/ recreation ethnic heritage exploration/ settlement	health/medicine industry invention landscape architecture law literature maritime history military	performing arts philosophy politics/government religion science social history transportation other:
Specific dates	N/A		Architect/Builder N/A	
Construction da	ates c. 1830-60			
Evaluation for:				
	National Register	N	Maryland Register	Xnot evaluated

Prepare a one-paragraph summary statement of significance addressing applicable criteria, followed by a narrative discussion of the history of the resource and its context. (For compliance projects, complete evaluation on a DOE Form – see manual.)

Summary:

The Stephen B. Dorsey Farm Tenant House is located on a corner of what was, in the mid-nineteenth century, part of Stephen B. Dorsey, Sr.'s, farm (HO-11). Dorsey married Sally Elizabeth Owings in 1842, and shortly after his marriage he began acquiring various tracts of land in the area, eventually assembling a large estate. The history of all these land transactions has not been fleshed out, so it is not known when he acquired the tract with this tenant house, but it was part of the 800 acres of land that was subdivided by his heirs after his death in 1872. Lot 1 of the subdivision was located on the west side of Roxbury Road and included this tenant house, and it was awarded to Stephen B. Dorsey, Jr. It seems more likely that this was a tenant house for part of one of Dorsey's farms. While it is difficult to be certain, it seems most likely that the house was built in c. 1830-60. Dorsey, Jr., split off the tenant house with five acres in 1932 and sold it to Walter Tobringer, who sold the property in 1958 to Russell and Janeva Maisel. It was reportedly the Maisels who were responsible for the additions on the south side and west, or rear. In the process, significant changes were made to the interior. In 2009 the additions were removed from the house and a new addition constructed on the rear.

Significance:

The Stephen B. Dorsey Farm Tenant House is located on a corner of what was, in the mid-nineteenth century, part of Stephen B. Dorsey, Sr.'s, farm (HO-11). Dorsey, the son of Humphrey and Rachel (Owings) Dorsey, was born in 1817 and married Sally Elizabeth Owings in 1842. Shortly after his marriage he began acquiring various tracts of land in the area, eventually assembling a large estate. The history of all these land transactions has not been fleshed out, so it is not known when he acquired the tract with this tenant house, but it was part of the 800 acres of land that was subdivided by his heirs after his death in 1872. Lot 1 of the subdivision was located on the west side of Roxbury Road and included this tenant house, and it was awarded to Stephen B. Dorsey, Jr. Since little is known about the Dorsey farm, it is hard to be certain about the use of this building. However, the single-cell plan, banked into a hill (on the south and west, in this case), is a common house type in Piedmont Maryland. Its use as a slave quarter has not been documented, and it seems more likely that it was a tenant house for part of one of Dorsey's farms. The full basement with a cooking fireplace, a second fireplace on the upper

Inventory No. HO-122

Maryland Historical Trust Maryland Inventory of Historic Properties Form

Name Continuation Sheet

Number 8 Page 1

story (which was originally divided into two rooms), and the presence of a log outbuilding (probably originally a smokehouse) next to the house are all features that were not found in typically more spartan slave quarters, even when built of stone. The upper story had a doorway in the center bay, and must have had a porch here, though there is no surviving evidence to indicate what the porch must have looked like. Such a porch would have been unusual in a slave quarter, too. ¹

There is little with which to date the building; however, the construction is consistent with c. 1820-1880. The reported use of cut nails in the roof framing, like those in the attic floor, would date to after 1820. The pegged ridge joint began to be replaced with a mitered and butted joint in the 1840s in Howard County, but remained in use longer in the Piedmont, into the 1870s. The birds-mouth cut at the rafter foot is rarely found in Howard County's tidewater-influenced architecture; it, too, was very common in the Piedmont and suggests, along with other features of the building, that the builder of the house may have come from the Frederick or Carroll County area, or even further north or west. The house could have been built by Stephen B. Dorsey, Sr. shortly after the Civil War to provide income after losing his enslaved labor force (assuming he had one, which is likely). Since we know so little about Dorsey and his farm, however, it is possible that he had one or more tenant farmers as one strategy to cultivate his 800 acres. It certainly would have been cheaper than purchasing the large number of slaves needed. The log outbuilding clearly relates to the stone house, and log construction was rare after c. 1860, so the presence of this building would suggest an earlier date for the house. While it is difficult to be certain, it seems most likely that the house was built in c. 1830-60.

Dorsey, Jr., split off the tenant house with five acres in 1932 and sold it to Walter Tobringer, Ambassador to Jamaica under President Lyndon B. Johnson. Tobringer sold the property in 1958 to Russell and Janeva Maisel. It was reportedly the Maisels who were responsible for the additions on the south side and west, or rear. In the process, significant changes were made to the interior. The plaster was removed from the walls, the first-story flooring and joists were replaced, the upper story partition wall was removed, and any woodwork on the fireplaces was removed. The enclosed stairway was opened up and several windows were added to the north elevation of the basement, too. In 2009 the additions were removed from the house and a new addition constructed on the rear. In the process an

¹ Harry Wright Newman, *Anne Arundel Gentry*, v. 2 (Lewes, DE: Colonial Roots, 1971), pp. 202-03. Howard County Circuit Court, Equity 594, Maryland State Archives. In addition to the historic sites inventory, see Celia M. Holland, *Old Homes and Families of Howard County, Maryland* (Author, 1987), pp. 243-45.

Maryland Historical Trust Maryland Inventory of Historic Properties Form

Inventory No. HO-122

Name Continuation Sheet

Number 8 Page 2

earlier wood-shingle roof was exposed, and the shingles were reportedly painted green. The original stairway was to be removed and replaced.²

² Cleora Barnes Thompson, "Russell Maisel's Stone House," HO-122, *Maryland Inventory of Historic Properties*, Maryland Historical Trust, [1976]. Roberta Garrison-Mogren to Ken Short, electronic mail, 9 September 2009.

9. Major Bibliographical References

Inventory No. HO-122

See footnotes

10. Geographical Data

Acreage of surveyed property _	5.15 A		
Acreage of historical setting	5.15 A		
Quadrangle name	Woodbine	Quadrangle scale:	1:24000

Verbal boundary description and justification

The boundaries consist of the property lines for tax map 21, parcel 27, which encompasses all of the historic structures on the property.

11. Form Prepared by


name/title	Ken Short		
organization	Howard County Department of Planning & Zoning	date	January 2010
street & number	3430 Courthouse Drive	telephone	410-313-4335
city or town	Ellicott City	state	Maryland

The Maryland Inventory of Historic Properties was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement.

The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

return to:


Maryland Historical Trust DHCD/DHCP 100 Community Place Crownsville, MD 21032-2023 410-514-7600



HO-122 STEPHEN B. DORSEY FARM TENANT HOUSE 15282 ROXBURY ROAD


Stephen B. Dorsey F Tenant House (HO-122) 15282 Roxbury Road CHAIN OF TITLE

GRANTOR/HOME	GRANTEE/HOME	DATE	LIBER/ FOLIO	INSTRU- MENT	CONSIDE R-ATION	ACREAGE	NOTES
Craig J. Thompson/?	Craig Garrison-Mogren Roberta Garrison- Mogren/?	3/28/2006	MDR 9992-550	Deed – Fee Simple	\$650,000	5.15 A. 09 A.	
Russell S. & Mary Joan Maisel/?	Craig J. Thompson/?	1/31/2003	MDR 6919-21	Deed- Fee Simple	\$495,0000	5.15 A. 09 A.	
Russell S. Maisel, Sr. & Janeva R. /? by personal reps. Russell S. Maisel, Jr. et al	Russell S. & Mary Joan Maisel (H/W)/?	6/27/2001	MDR 5569-464	Deed – Fee Simple	\$0	5.15 A.	RSM Sr. d. 8/25/60 JRM d. 12/20/99
Walter N. Tobringer & Wife Marienne L. /Howard	Russell S. Maisel, Sr. & Wife Janeva R./Howard	1/7/1958	RHM 309-254	Deed – Fee Simple	\$5.00	5.15 A.	
Stephen B. Dorsey & wife Mary Elizabeth/?	Walter N. Tobringer/?	11/29/1932	BM Jr. 145-30	Deed – Fee Simple	\$10.00	5.15 A.	p/o Duvall's Range p/o lot 1in Equity 594 division of RE of Stephen B. Dorsey, dec'd to S.B.D. Jr. 11/18/1875




HO-122 Stephen B. Dorsey Farm Tenant House 15282 Roxbury Road Woodbine Quad

HO-122 Stephen B. Dorsey Farm Tenant House (Russell Maisel's Stone House) 15282 Roxbury Road, Glenelg Woodbine quadrangle







HO-122 Stephen Boone Dorsey Farm Tenant House 15282 Roxbury Road Howard County, Maryland Ken Short, photographer

Photo Log
Nikon D-70 camera
HP Premium Plus paper
HP Gray Photo print cartridge

HO-0122_2009-03-20_01 House, east elevation

HO-0122_2009-03-20_02 House, north & west elevations

HO-0122_2009-03-20_03 House, interior, vw. southwest

HO-0122_2009-03-20_04 Log outbuilding, south & east elevations



Stephen Boone Dersey Farm Tenant House 15282 Roxburg Road Howard County, MD Ken Short Dec. 14,2009 MD SHPO House, East Elevation



10-122 Stephen Boone Dorsey Farm Tenant House 1528Z Roxbury Road Howard County, MD KenShort Dec. 14, 2009 MD SHPO House, north & West Elevations 2/4



HO-1,22 Stephen Boone Dorsey Farm Tenant House 15282 Roxbury Road Howard County, MD Ken Short Dec. 14, 2009 MD SHPO House, interior, view southwest



HO-122 Stephen Boone Dorsey Farm Tenant 15282 Roxbury Road Honard County, +10 Ken Short Dec. 14,2009 MD SHPO · Log outbuilding, south a east elevations

INDIVIDUAL PROPERTY/DISTRICT MARYLAND HISTORICAL TRUST INTERNAL NR-ELIGIBILITY REVIEW FORM


Property/District Name: Russell Maisel's Stone House Survey Number: HO-122
Project: _Replace Dorsey Mill Road Bridge _ Agency: _FHWA/Howard County
Site visit by MHT Staff: X no yes Name Date
Eligibility recommended X Eligibility not recommended
Criteria:AB _X_CD Considerations:ABCD _EFGNone
Justification for decision: (Use continuation sheet if necessary and attach map)
This three bay by one bay, two story, stone house with gable roof was originally a portion of the Stephen Boone Dorsey Property. It is thought to date to circa 1780. In our opinion, the house is eligible under Criterion C as a good example of the modest stone dwellings which tyically housed workers on large landholdings and which once dotted Howard County. Based on the available information, we believe the National Register historic property should include the southern portion of the 5.15 acre tax parcel, encompassing the house, log outbuildings and landscaped grounds. A modern rental house is located on the northern end of the property. Further work would be required to develop precise boundaries for the eligible portion of the property.
Documentation on the property/district is presented in: Project File, Maryland Inventory
Form HO-122
Prepared by: Cleora Thompson
Reviewer, Office of Preservation Services January 27, 1997 Date
NR program concurrence: 2 yes no not applicable Putter 2 tunts Reviewer, NR program Date

They

Survey	No.	HO-122

MARYLAND COMPREHENSIVE HISTORIC PRESERVATION PLAN DATA - HISTORIC CONTEXT

I.	Geographic Region:	
	Eastern Shore Western Shore	(all Eastern Shore counties, and Cecil) (Anne Arundel, Calvert, Charles,
X	Piedmont	Prince George's and St. Mary's) (Baltimore City, Baltimore, Carroll, Frederick, Harford, Howard, Montgomery)
	Western Maryland	(Allegany, Garrett and Washington)
II.	Chronological/Developmental Pe	eriods:
X	Paleo-Indian Early Archaic Middle Archaic Late Archaic Early Woodland Middle Woodland Late Woodland/Archaic Contact and Settlement Rural Agrarian Intensification Agricultural-Industrial Transi Industrial/Urban Dominance Modern Period Unknown Period (prehistor	A.D. 1815-1870 A.D. 1870-1930 A.D. 1930-Present
III.	Prehistoric Period Themes:	IV. Historic Period Themes:
	Subsistence Settlement Political Demographic Religion Technology Environmental Adaption	Agriculture X Architecture, Landscape Architecture, and Community Planning Economic (Commercial and Industrial) Government/Law Military Religion Social/Educational/Cultural Transportation
v. R	esource Type:	
	Category: <u>Buildings</u>	
	Historic Environment: Rural	
	Historic Function(s) and Use(s	s):Domestic-single dwelling, outbuilding
	Known Design Source: na	
	and the Doubt of the life	



RUSSEL MAISEL HOUSE GLENEIG

EASEMENT EXHIBIT NO.

HOWARD COUNTY

SCALE: PREPARED: 5/77 JAC

MARYLAND HISTORICAL TRUST

Main House and log storage building from northeast




RUSSEL MAISEL HOUSE GLENEIG HOWARD COUNTY

HO-122

Main house, southeast facade, ground level SCALE: entrance detail

PREPARED: 5/77 JAC MARYLAND HISTORICAL TRUST



RUSSEL MAISEL HOUSE GLENELG

HOWARD COUNTY


EASEMENT EXHIBIT NO. B, page 2 of 13

Main house, southeast facade from road

SCALE:

PREPARED: 5/77 JAC

MARYLAND HISTORICAL TRUST



RUSSEL MAISEL HOUSE GLENEIG HOWARD COUNTY

EASEMENT EXHIBIT NO. B, page 3 of 13

40-127

Main house, southeast facade

SCALE:

PREPARED: 5/77 JAC

MARYLAND HISTORICAL TRUST



RUSSEL MAISEL HOUSE GLENEIG HOWARD COUNTY

EASEMENT EXHIBIT NO. B, page 6 of 13

40-122 Main house from North

SCALE:

PREPARED: 5/77 JAC

MARYLAND HISTORICAL TRUST



RUSSEL MAISEL HOUSE GLENELG HOWARD COUNTY

EASEMENT EXHIBIT NO. B, page 9 of 13


Main house from southwest

SCALE:

110-122

PREPARED: 5/77 JAC

MARYLAND HISTORICAL TRUST



RUSSEL MAISEL HOUSE GLENELG

HOWARD COUNTY

EASEMENT EXHIBIT NO. B, page 8 of 13

Ho-122 Main house from West

SCALE:

PREPARED: 5/77 JAC

MARYLAND HISTORICAL TRUST



RUSSEL MAISEL HOUSE

GLENELG

HOWARD COUNTY

EASEMENT EXHIBIT NO. B, page 4 of 13

Southeast yard showing spring pords.

SCALE:

HO-122

PREPARED: 5/77 JAC

MARYLAND HISTORICAL TRUST



RUSSEL MAISEL HOUSE

GLENEIG

HOWARD COUNTY

EASEMENT EXHIBIT NO. B, page 5 of 13

2-122 Log storage building from southeast

SCALE:

PREPARED: 5/77 JAC

MARYLAND HISTORICAL TRUST

HO-122 RUSSELL MAISEL'S STONE HOUSE Glenelg Private

circa 1780

This two and a half story stone structure, originally part of the Stephen Boone Dorsey property, is three bays wide and two bays deep facing east with gabled roof and bearing walls 22 inches thick. It is a fine example of vernacular architecture, typical of the modest stone houses which dot Howard County and were at one time attached to larger homes. Named for owner Russel Maissell, its future is uncertain, standing in the way of the flood plain of the Tridelphia Dam expansion.

Restoration of this structure was carefully executed by Mr. and Mrs. Russel Maisel who have maintained the integrity of this eighteenth century structure throughout its interior, giving thoughtful consideration to the placement of their west addition which in no way detracts from the

east or front facade of the building.

MARYLAND HISTORICAL TRUST WORKSHEET

NOMINATION FORM for the NATIONAL REGISTER OF HISTORIC PLACES, NATIONAL PARKS SERVICE

1.	NAME						
	COMMON:						
	Russell Maisel	's Stone Hous	е				
	AND/OR HISTORIC:						
2.	LOCATION					46.00	
	STREET AND NUMBER:						-
	15282 Roxbury	Road					
	CITY OR TOWN:						
	Glenelg						
	STATE			COUNTY:			
	Maryland			Howard			-
3.	CLASSIFICATION				,		
	CATEGORY		OWNERSHIP		STATUS	ACCESSIBL	.E
	(Check One)					TO THE PUB	LIC
	District Building	☐ Public	Public Acquisit	ion:	(X) Occupied	Yes:	
	☐ Site ☐ Structure	Private	☐ In Pro	cess	Unoccupied	Restricted	
	☐ Object	☐ Both	☐ Being	Considered	Preservation work	Unrestrict	ed
					in progress	□ No	
	PRESENT USE (Check One or	More as Appropriate)					
	☐ Agricultural ☐ G	overnment	Park		Transportation	Comments	
		Service Servic	Private Reside	nce [Other (Specity)		
	☐ Educational ☐ M	ilitary	Religious	-			
	☐ Entertainment ☐ M	useum	Scientific			-	
	OWNER OF PROPERTY						
4.	OWNER'S NAME:		0.0				
	Mr. & Mrs. Rus	call Maisal					
	STREET AND NUMBER:	Sell Maisel					-
	15292 Daybuny	Doad					
	15282 Roxbury	Rodu		STATE:			-
	1000			Common reversion	ryland.	2173	7
	Glenelg LOCATION OF LEGAL DESC	COLUTION		l'id	ry rand	2173	762
3.	COURTHOUSE, REGISTRY OF	CALLED THE COLUMN TO THE COLUM					X.
	Hall of Record						
	STREET AND NUMBER:	3					-
	Howard County	Court House					
	CITY OR TOWN:	Court House		STATE			-
	Ellicott City			Mary	land	2104	.3
		of Current	Dood (De				
6	Title Reference REPRESENTATION IN EXIS	TING SUBVEYS	peed (BC	/200 2F4			
	TITLE OF SURVEY:	TING SURVETS		/309-254	Acreage 5.	15	-
	Howard County	Historic Site	s Invento	rv			
	DATE OF SURVEY: 1976	111300110 310	Federal	X State	County	Local	-
	DEPOSITORY FOR SURVEY RE	ECORDS:		M 3idie	_ county _	Local	_
	Maryland Histo	rical irust					-
	STATE OF THE STATE OF						
	21 State Circl	е		STATE:			_
	STAIL AND THE STATE OF THE			\$25555007500	3	0	
	Annapolis			I M	arvland	21401	

				(Chec	k One)		
CONDITION	X Excellent	☐ Good	☐ Fair	☐ Dete	riorated	Ruins	☐ ·Unexposed
		(Check Or	1e)			(Che	ck One)
	_ Altere	ed .	Uncltered			☐ Moved	(X) Original Sit

Russell Maisel's Stone House

This two and a half story stone structure is two bays deep, three bays wide facing east with gabled roof and bearing walls 22 inches thick with upper walls 18 inches thick. Named for owner Russel Maisel, its future is uncertain and standing in the way of the flood plain of the Triadelphia Dam expansion.

It has a central rectangular Dutch entrance door (battan wood door on bottom half, six lites on upper half) flanked by double-hung windows with six-over-six lites. Its north wall holds a wide central brick chimney inset into the wall. At one time it is said that the central second floor window used to be a door. Presently the second story of the east facade holds three similar windows with six-over-six lites and shutters.

The north wall of the house holds a six lite casement window on either side of the chimney On the first floor and a four lite square casement window on either side of the chimney on the third floor.

A one story brick addition lies on the south wall with a brick chimney on its south wall. Previously a bath, it is now used as a utility room.

The west wall central back entrance now leads into a one story kitchenbedroom bath addition which runs along the entire west wall and extends west on the south bay. Constructed of brick which has been painted to complement the color of the stone, it is a pleasant addition to the living quarters which in no way detracts from the front facade of the building.

The landscaping and stone terraces along the east and west facades of the house have been thoughtfully executed. A stone wall also runs along the east boundary of the Roxbury Road. The stonework, landscaping and well-placed west wing all add to the compact and tidy appearance of a well-cared for residence.

PERIOD (Check One or More as	Appropriate)		
Pre-Columbian	☐ 16th Century	18th Century	20th Century
15th Century	☐ 17th Century	☐ 19th Century	
SPECIFIC DATE(S) (If Applicat	ole and Known) 1780		
REAS OF SIGNIFICANCE (Ch	eck One or More as Appropr	iate)	
Abor iginal	☐ Education	☐ Political	Urban Planning
☐ Prehistoric	 Engineering 	Religion/Phi-	Other (Specify)
Historic	☐ Industry	losophy	
☐ Agriculture	☐ Invention	Science	
Architecture	☐ Landscape	☐ Sculpture	
☐ Art	Architecture	Social/Human-	
☐ Commerce	Literature	itarian	
☐ Communications	Military	☐ Theater	
☐ Conservation	Music	☐ Transportation	

This simple structure is significant both architecturally and historically. Historically it belonged to Stephen Boone Dorsey in 1780. In the 1950's, it was owned by Walter Tobriner, Embassador to Jamaica under the Johnson Administration who bought it in the early thirties from Stephen Boone Dorsey. Historically it served as available housing on the property for workers. In the early colonial period horse drawn wagons stopped at large houses to find a likely place to work and live. Small stone or log houses such as these used to dot the property of many of the large holdings of Howard County. Burleigh Gate House, Spring Hill Quarters and the Russell Maissell Stone House all are representative of these satellite buildings, now used as charming residences with additions thoughtfully arranged.

Architecturally it is a fine example of a small stone 18th century house. Increasing its value architecturally has been the thoughtful restoration of the house under Mr. & Mrs. Russel Maissel who have replaced rotting timbers with hand hewn timbers taken out of old structures.


The house nestles into a slope creating three stories on the east facade and two on the west facade.

The second floor is now the living room and the central back door enters into the new kitchen wing which has been added along the west wall of the house.

Originally this living room was two rooms and had an enclosed staircase which has now been opened up to create a more spacious room. The random width poplar floors with square nails are original to the house in the charming half story room in the gable.

Stone chimneys on the first and second floors hold original fireplaces.

9. MAJOR	BIBLIOGRAPHICAL RE	FERENCES *						
9, 19	Interview with M 176.	lrs. Russell Mais	e1	, 1528	2 Roxbury R	oad. Se	eptembe	er
-	RAPHICAL DATA	DE 000001111			ATITUDE AND LO	NGITUDE CO	DOBDINA.	
	LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY		O R	DEFINING THE CENTER POINT OF A PROPERTY OF LESS THAN TEN ACRES				
GORNER	LATITUDE	LONGITUDE]"[L	L	LONGITUDE .		
NW NE SE	Degrees Minutes Seconds o , , , , , , , , , , , , , , , , , ,	Degrees Minutes Seconds o , , , ,		Degrees 0	Minutes Second	Degrees	Minutes	Seconds "
SW	9 , .	O + N						
APPROX	IMATE ACREAGE OF NOM	INATED PROPERTY:						
	Acreag	e 5.15						
	PREPARED BY							•
	ra Barnes Thompso	on. Archivist						
OFFI	ce of Planning and NUMBER:		her	nsive P	lanning	DATE		
	Court House Dri	ve	_					
9.00	cott City		S	Maryla	nd			21043
Sta	te Liaison Off	icer Review:	(Office	e Use Only	7)		
	Significance o	of this proper State Local						
	Signature		-					





HO-122 DIST4 RUSSELL MAISELS STONE HOUSE

CLEORA BARNES THOMPSON

PLANNING CONSULTANT HISTORICAL SITES SURVEY



HO.122

9300

Russell Maisel's stone house



1002 100 HO-122

9300

Apresall Maisel's log building